



# CRYOGENIC PRODUCTS & SERVICES

- Design
- Installation
- Service
- Inspection

**THAMES CRYOGENICS LTD**  
*Total Cryogenic Solutions*




## MVE STOCK SERIES


The MVE Stock Series provides the ultimate in security for the breeding industry and are primarily used to store semen and embryos. The freezers are designed for pull and pack shipment, with a wide neck opening for easy access. Although engineered for full liquid storage, the MVE Stock Series can be operated in vapor using the available vapor storage accessory packs.

### Key Features


- Wide neck opening.
- Lowest liftover height.
- Largest LN2 Capacity.



**TOP TIER CAPACITY**  
**245 BOXES**



**BOTTOM TIER CAPACITY**  
**294 BOXES**



[www.thamescryogenics.com](http://www.thamescryogenics.com)

Email: [sales@thamescryogenics.com](mailto:sales@thamescryogenics.com)

**Tel: +44 (0)1235 815777**

# MVE STOCK SERIES



**THAMES CRYOGENICS LTD**  
Total Cryogenic Solutions

	MVE 103	MVE 808	MVE 816P-2T-190	MVE 1318	MVE 1842P-150	MVE 1877P-2T-150
<b>Maximum Storage Capacity</b>						
1.2 & 2 ml Vials (Internally Threaded)	—	11.7	10.5	20.8	—	—
Number of Racks 100 cell boxes	—	12	105	24	—	—
Number of Racks 25 cell boxes	—	4	—	8	—	—
Total Number of Racks	—	16	21	32	—	—
High Security Straw Capacity (0.5 ml)	7.728	37.296	63.168	76.104	—	347.424
Number of Canisters (73 mm)	23	74	94	151	—	517
Goblets/Canister : Straws/Goblet	2:168	3:168	4:168	3:168	2:168	4:168
Number of SUC-1 canisters (2.5"x2.5"x11)	22	61	115	129	294	539
Number of 1.2 ml vials on canes	3.168	8.784	16.56	18.576	42.336	77.616
Number of 2.0 ml vials on canes	1.76	4.88	9.2	10.32	23.52	43.12
Number of 1/2 cc straws 10/cane	6.82	18.91	35.65	39.99	91.14	167.09
<b>Performance</b>						
LN2 Capacity L 3	39	230	381	482	915	1.4
<b>Unit Dimensions</b>						
Neck Opening in. (mm)	16,0 (406)	25,0 (634)	12,5 (317)	35,5 (901)	25,0 (635)	25,0 (635)
Usable Internal Height in. (mm)	12,0 (305)	22,0 (558)	13,0 (330) per level	18,8 (479)	13,0 (332)	13,0 (330) per tray
Inner Diameter in. (mm)	16,00 (406)	28,30 (720)	28,70 (728) top tray 27,70 (702) bottom	39,60 (1.007)	56,25 (1.29)	56,25 (1.429)
Overall Height in. (mm)	16,4 (415)	42,8 (1.088)	50,0 (1.271)	47,0 (1.193)	44.3 (1.127)	58,2 (1.479)
Door Width						
Requirement** in. (mm)	18 (457)	31 (787)	32 (813)	42 (1067)	60 (1524)	60 (1524)
Weight Empty lb. (kg)	48 (22)	250 (114)	475 (215) est.	469 (213)	1.167 (530)	1.600 (726)
Weight Liquid Full* lb. (kg)	117 (53)	660 (300)	1.155 (524) est.	1.328 (602)	2.798 (1270)	4.094 (1857)

## Service and Support

### Two Year Standard Warranty • Five Year Vacuum Warranty

Conforms to MDD 93/42/EEC, the Medical Device Directive for the EU. Freezer systems UL/C-UL Listed.

\*Without inventory

\*\*Minimum width required for vessel to pass through opening. Footprint may vary. Contact Tech Service for detailed drawings.

[www.thamescryogenics.com](http://www.thamescryogenics.com)

Email: [sales@thamescryogenics.com](mailto:sales@thamescryogenics.com)

Tel: +44 (0)1235 815777

Head Office (UK)  
Thames Cryogenics Ltd.  
Gooch Drive  
Southmead Industrial Park  
Didcot  
OX11 7PR